

MONUMENT TOOLS

Wrenches, Tap
Reseaters, Spanners
and Keys

INDEX



Wrenches, Tap Reseaters, Spanners & Keys

ADJUSTABLE BASIN NUT WRENCH

CLE AJUSTABLE

STANDHAHNMUTTERSCHLUSSEL

Order Code	Nominal Capacity		Number of Jaws Fitted	Size of Jaws Fitted		Display Pack
	in	mm				

1/2 & 3/4in tap and faucet nuts

345V	1/2 & 3/4	15 & 22	2	S, M	✓
-------------	-----------	---------	---	------	---

[345V was 347B and jaws below fit 347B as well]

1/2, 3/4, 1, 1 1/4, 1 1/2in tap, faucet & waste nuts

349H	1/2-1 1/2	15 - 42	3	S, M, L	✓
-------------	-----------	---------	---	---------	---

DIY ADJUSTABLE WRENCH

1/2 & 3/4in tap and faucet nuts

341J	1/2 & 3/4	15 & 22	2	S, M	✓
-------------	-----------	---------	---	------	---

SPARE JAWS FOR ADJUSTABLE WRENCHES

Order Code	Size	Jaw Capacity in	A/F max. mm	Display Pack
350L	S	1 1/8	28.5	✓
351O	M	1 1/2	38	✓
352R	L	2	50	✓

FITTING SPANNERS

Order Code	Use	A/F	Display Pack
2032H	15 & 22 mm compression fitting nuts	24 & 32	✓
2039C	28mm compression fitting nuts	39	✓
2040G	52mm Pump nuts	52	✓

TAP BACK NUT WRENCH

SHETACK™ BASIN WRENCH

CLE POUR EVIERS

STANDHAHNMUTTERSCHLUSSEL

Order Code	Nominal size		Length	Display pack
	in	mm		
327R	1/2 & 3/4	15 & 22	260mm	✓

TAP BACK NUT BOX SPANNERS

Order Code	Size mm A/F	Display Pack
323F	27 & 32	✓
324H	9,11,12,13	✓

ADJUSTABLE TANK CUTTER

FRAISES A RESERVOIRS

BEHALTERBOHRER

Order Code	Shank Dia. in	Capacity in	mm	Display Pack
------------	---------------	-------------	----	--------------

Hexagon Shank

68C	3/8	9.5	1 5/16-5	34-125	✓
------------	-----	-----	----------	--------	---

Spare Blade

81R	Fits 68C			✓
------------	----------	--	--	---

POP UP WASTE TOOL

Order Code	Display pack
325L	✓

Used for loosening and tightening nuts in awkward positions, particularly those underneath basins and baths - such as those on taps, faucets and wastes. The teeth on the heat treated jaws will grip uneven shapes as well as pipes, hexagons, squares etc. The swivelling, heat treated head allows access where fixed spanners will not operate. Steel handle has both a hexagonal end, to allow attachment of socket and extension for longer reach, and removable tommy bar for added ability to access tight spots.



Hexagonal

The same working specification as above but with a round steel handle without the hexagonal end and spare jaw retaining screw. The tommy bar is removable.



NEW

NEW

The original Shetack™ basin wrench for fitting back nuts and union nuts of pillar and bath taps behind basins, sinks and baths. Strong malleable material, correctly machined jaws to fit standard nuts.



323F

Double ended box spanner for quick assembly of tap back nuts on basins. Not supplied with t/bar.



Mono tap back nut box spanner set

324H

Adjustable tank cutter enabling circular holes to be cut in light sheet metal, plastics and wood. The adjustable, heat treated, blade is easily moved and re-locked with a screwdriver. Cutting speed must not exceed 40rpm otherwise blade burn-out will result.

For the difficult task of holding a pop up waste in position when installing into sinks, baths, basins, bidets etc. The two spring steel blades fit into the circumferential slots in the waste. Zinc plated.





Recuts the seats of worn taps and stopcocks without disconnection from pipework. Tapered cones screw into top of tap body provided tap body is threaded to the top. For taps with recessed threads in body use parallel bush series below.

Cutters are case hardened. Feedscrew allows fine adjustment to the cutter. All parts are interchangeable.



Parallel Bush Series- Bushes for use where the internal thread will not allow the entry of tapered cones.

The Universal Tap Reseater Kit contains all the components of 455E and 460U. Supplied in sturdy carrying case.



Supplied with two double ended plastic bushes and 3 Cutters. Fits popular BSS 5412 and BSS 1010 Taps 1/2" & 3/4".



TAP RESEATING TOOLS

RODEURS DE ROBINETS

WASSERHAHN-NACHSCHLEIFWERKZEUG

OrderCode Display Pack ✓

458N Fits Old Series 1/2in BS1010 flat seats
Cutters in: 1 1/16, 3/4 mm: 17, 19

460U Fits Old Series 1/2 & 3/4in BS1010 flat seats,
4 cutters & 2 tapered cones in set
Cutters in: 1 1/16, 3/4, 1 3/16, 1 mm: 17, 19, 20, 25

* **461X** With 2 cutters & 2 tapered cones in set
Cutters in: 3/4, 1 mm: 19, 25

* Not for use in UK

PARALLEL BUSH SERIES

OrderCode Display Pack ✓

455E tool fits 1/2 & 3/4in BS1010 New Series & BS5412 flat & bevelled seats, 6 cutters & 2 double bushes in set

Cutters - Flat in: 1 1/16, 3/4 mm: 17, 19
- Flat in: 1 3/16, 1 mm: 20, 25
- Bevelled in: 1 1/16, 1 3/16 mm: 17, 20

454B Fits 1/2 & 3/4in BS5412 bevelled seats, 2 cutters & 1 double bush in set
Cutters - Bevelled in: 1 1/16, 1 3/16 mm: 17, 20

SPARE PARTS FOR TAP RESEATERS

OrderCode	Size	Max Dia	Fits Tap Reseater
Tapered Cones	in	mm	
464G	1	1 1/4 32	454B, 455E, 458N, 460U, 461X
465J	2	1 3/16 39	
Parallel Bushes			
466M	1/2 & 3/4 BSP		454B, 455E, 458N, 460U, 461X
467P	18tpi Small & Large		
Extra long spindle			
470Z	Length 4 15/16in	126mm	

OrderCode	Dia. in	Dia. mm	Display Pack
500U	1/2	12	✓
501X	5/8	16	✓
502A	1 1/16	17	✓
503D	3/4	19	✓
504G	1 3/16	20	✓
505J	7/8	22	✓
507P	1	25	✓
508S	1 1/16	27	✓
511C	1 1/4	32	✓

Flat Tap Reseater Cutters- will fit all Tap Reseaters shown

Bevelled Tap Reseater Cutters- will fit all Tap Reseaters shown

483N	1 1/16	17	✓
482K	1 3/16	20	✓

UNIVERSAL TAP RESEATING KIT

Order Code Display Pack ✓

477U Fits Old and New Series 1/2 & 3/4in BS1010 & BS5412 flat & bevelled seats, 6 cutters, 2 double bushes and 2 tapered cones.

Cutters - Flat in: 1 1/16, 3/4, mm: 17, 19
- Flat in: 1 3/16, 1 mm: 20, 25
- Bevelled in: 1 1/16, 1 3/16 mm: 17, 20

DIY TAP RESEATER

OrderCode Cutters Supplied: in mm Display Pack

450P 1 1/16, 3/4, 1 17, 19, 25 ✓

'JOHNNY MAC' PUMP MULTI TOOL

Order Code **2067L** 5-in-one tool for most domestic boiler pumps. Display Pack ✓

BOX RING IMMERSION HEATER SPANNER

CLE DE THERMOPLONGEUR

SCHLUSSEL ZUR MONTAGE VON HEIZSTABEN

Order Code	A/F size	
	in	mm
361T	3 3/8	86
358J	3 3/8	86

IMMERSION HEATER SPANNERS

Order Code		A/F size		Display Pack
		in	mm	
360Q	Flat	3 3/8	86	✓
359M	Cranked	3 3/8	86	✓

RADIATOR AIR BLEED KEYS

CLE DE RADIATEUR / HEIZKORPER SCHLUSSEL

Order Code		Display Pack
2055A	Turned brass	✓(25)
2058J	Clock key type for key ring	✓(2)

LOCKSHIELD THREE LEGGED

RADIATOR VALVE KEY

Order Code		Display Pack
2056D	For 1/2, 3/4 and 1in radiator valves	✓

MULTI PURPOSE FOUR WAY KEY

Order Code		Display Pack
2059M		✓

STEPPED RADIATOR SPANNER & RATCHET

Order Code		Display Pack
2048E	Radiator step wrench and ratchet	✓
2047B	Radiator step wrench ONLY	✓

UNIVERSAL RADIATOR VALVE KEY

CLE DE RADIATEUR

HEIZKORPERSCHLUSSEL

Order Code		Display Pack
2052R		✓

RADIATOR VALVE LEVER


Order Code		Display Pack
2065F		✓

NEW



For hex headed grub screws, vent plug and rotor shaft slot on most domestic circulating pumps.

Made with octagon at the base of the cylindrical section to enable really tight immersion heaters to be loosened by striking the handle. The one piece casting enables full transmission of power to the spanner unlike loose tommy bar types. Overall clearance around the spanner is 7/8" (22mm) allowing easier fitting on insulated copper cylinders.



Made with octagon at base of steel cylinder.

Supplied with a separate tommy bar.

Without slot to ensure removal of immersion heater flex, to reduce the possibility of electric shock.




Flat and cranked types. Zinc plated, pressed steel.



For releasing the air which can appear in a radiator




Three way key – made from a brass pressing



For gas, water & electric meter cupboards, air-con units, stop valves, mains consoles etc., central heating pump cocks, some radiator valves and drain off valves.



For most radiator valves, nipples, lugs, tank connectors etc. Complete with ratchet handle.





Both ends are tapered and therefore self restricting. The three profiles make the tool universal, catering for:- 3/8in. & 10mm square section radiator vent plugs and bleed screws; bayonet or internal lug type radiator valves, allowing for variations in size, shape & position; 12mm to 14mm internal hexagon valves, tapered allowing for variations in size.



To facilitate fitting and removal of standard and thermostatic radiator valves

Zinc plated steel spanner with comfortable, slightly offset, handle.



For turning stopcocks on and off. Turning handle has one chisel end for lifting covers. Zinc plated or painted finish.

340G
342M

334N
337W

For the difficult job of turning on and off hard to get at stopcocks of the crutch head type. eg mains cocks located in bathroom showers, cupboards, under kitchen units, sinks, stiff to turn outside taps. The removable tommy bar allows connection to a socket and ratchet handle for ease of use in difficult corners.



For quick and easy turning off and on of domestic stop taps (stop cocks). Long handle for extra leverage. Hole & slot design reduces risk of tool slipping off stopcock control arm. On-Off direction markings. Patent pending.



Drop forged with vinyl cushion grips. 8 position adjustment, spring action. With interchangeable round and square soft touch jaws for gripping delicate objects.



A water pump plier with soft jaws for using on items such as gold plated taps, stainless steel fittings etc. to avoid damage. Five step adjustment up to 46mm. Easily replaced jaws fixed by recessed bolts.



RADIATOR SPANNERS

Order Code	Hexagon in	Hexagon mm	Display Pack
For 3/8in & 10mm square section radiator vent plugs & bleed screws			
2053U	1/2	12.7	✓
Valve spanner & Air Release Key			
2054X		12	✓

STOPCOCK KEYS

**CLES DE ROBINET D'ARRET
SCHLUSSEL FUR WASSER ODER ABSPERRHAHNE**

Order Code	L in	L m	Size in	Type
338Z	30	0.76		Crutch
339C	42	1.06		Crutch
329X	30	0.76	1/2	Square
330B	42	1.06	1/2	Square
332H	30	0.76	5/8	Square
333K	42	1.06	5/8	Square
335Q	30	0.76	3/4	Square
336T	42	1.06	3/4	Square

COMBINATION STOPCOCK KEYS

Order Code	L in	L m	Size in	Type
334N	30	0.76	1/2	Square & Crutch
337W	30	0.76	5/8	Square & Crutch
340G	34	0.86	1/2 & 3/4	Square & Crutch
342M	42	1.06	1/2 & 3/4	Square & Crutch

DOMESTIC WATER MAINS STOPCOCK KEY

Order Code	L in	L mm	Shape	Display pack
331E	8 3/4	222	Crutch	✓
3130L			Hole & slot	✓

WONDER PLIER

Order Code	Length in	Length mm	Max Opening in	Max Opening mm	Display Pack
2028U	10 1/2	270	2 3/4	70	✓

SOFT TOUCH PLIERS

Order Code	Length in	Length mm	Display Pack
2023F	10	250	
2024I	Spare soft jaw inserts (2pc)		✓

PIPE WRENCHES

CLES SERRE-TUBE ROHRZANGEN

STILLSON PATTERN PIPE WRENCH

Order Code	Length open		Nominal pipe capacity	
	in	mm	Bore in	mm OD
2710T	10	250	1	34
2711W	12	300	1¼	42
2712Z	14	350	1½	49
2713C	18	450	2	60
2714F	24	600	2½	76

FOOTPRINT PIPE WRENCH

Order Code	Length		Jaw Opening		Display Pack
	in	mm	in	mm	
1986W	7	175	¼-1½	1.5-38	✓
1987Z	9	225	⅛-2½	3-64	✓
1988C	12	300	¼-3	6-75	✓

FOOTPRINT 'THUMBTURN' PIPE WRENCH

Order Code	Length		Jaw Opening		Display Pack
	in	mm	in	mm	
1990J	7	175	¼-1½	1.5-38	✓
1991M	9	225	⅛-2½	3-64	✓
1996B	12	300	¼-3	6-75	✓

WIDE JAW PLUMBING PLIER

Order Code	Length		Max Opening		Display Pack
	in	mm	in	mm	
2029X	9	230	3	75	✓

BOX JOINT WATER PUMP PLIER

Order Code	Length		Max Opening		Display Pack
	in	mm	in	mm	
2027R	10	250	1½	40	✓

WATER PUMP PLIERS

Order Code	Length		Opening (Max)		Jaw Thickness	Jaw Shape	Display Pack
	in	mm	in	mm			
2019S	8	200	1¼	33	9	Curved	✓
2020W	10	252	1⅝	43	9.5	Curved	✓
2021Z	12	310	2⅞	55	11	Curved	✓
2025L	10	252	1⅝	43	9.5	Straight	✓
2026O	12	310	2⅞	55	11	Straight	✓
2022C	16	416	4⅞	104	14	Straight	✓

ADJUSTABLE WRENCHES

Order Code	Length in	Max Opening		Display Pack
		in	mm	
2140K	6		23	✓
2141N	8		28	✓
2143T	10		32	✓
2144W	12		38	✓



Drop forged handles, floating hook jaws.



All steel construction- the Original Footprint wrench grips the workpiece tighter as more pressure is exerted. Footprint 698



All steel pipe wrench with 'thumbturn' knurled adjusting nut, easily adjusted with one hand. Footprint 900.



Drop forged 5 position adjustment with toothed jaws for loosening and tightening round fittings on plastic waste pipes etc.

High quality, drop forged steel, curved jaw plier has ten different locking positions. It can be closed on to nuts etc with a parallel action, one handed, so that positioning can be achieved in confined spaces.



High quality, drop forged steel, with machine grooved adjustment



Curved jaw
Straight jaw

Plastic rubber cushion grip handle is permanently adhered to the shank of the tool. Soft, anti-slip material ensures comfortable and strong grip. Jaw configuration results in a stronger and better "tool to fastener" contact point providing a substantially durable tool.



Scale of opening is etched on fixed jaw.

INDEX

Wrenches, Tap Reseaters,
Spanners & Keys

Adjustable Basin Wrench	14	Radiator Bleed Keys	16
Adjustable Tank Cutter	14	Radiator Spanners	16,17
Adjustable Wrenches	14,18	Ratchet Handle	16
Air Bleed Keys	16	Reseating Tools, Tap	15
		Ring Spanners , Immersion Heater	16
Basin Wrench	14		
Bleed Key, Radiator	16	Shetack Basin Wrench	14
Box Ring Spanner	16	Soft Jaw Pliers	17
		Spanner, Compression Fitting	14
Combination Stopcock Keys	17	Spanner, Mono Tap	14
Compression Fitting Spanners	14	Spanner, TRV	16
Cones, Tap Reseater	15	Spanners, Adjustable	14,18
Cutter, Tank	14	Spanners, Immersion Heater	16
Cutters, Tap Reseater	15	Spanners, Radiator	16,17
		Spanners, Ring Immersion	16
DIY Adjustable Wrench	14	Spanners, Tap Back Nut Box	14
DIY Tap Reseater	15	Stillson Pipe Wrench	18
		Stopcock Keys	17
Footprint Pipe Wrenches	18		
		Tank Cutter	14
Gland Nut Plier	18	Tap Back Nut Box Spanners	14
		Tap Back Nut Wrenches	14
Heater Spanner, Immersion	16	Tap Reseating Tools	15
		Three Legged Key	16
Immersion Heater Spanners	16	Thumbturn Wrench	18
Isle of Man Key	16	TRV Spanner	16
Jaws, Wrench	14		
Johnny Mac Pump Multitool	16	Valve Keys, Radiator	16,17
Key, Four Way Key	16		
Keys, Radiator	16,17	Waste Tool, Pop-up	14
Keys, Stopcock	17	Water Pump Pliers	18
		Water Stopcock Keys	17
Mini Stopcock Key	17	Wonder Plier	17
Mono Tap Back Nut Spanner	14	Wrenches, Adjustable	14
		Wrenches, Adjustable Basin	14
Pliers, Water Pump	18	Wrenches, Basin	14
Pop up Waste Tool	14	Wrenches, Footprint	18
Pump Multitool Johnny Mac	16	Wrenches, Pipe	18
Pump Nut Spanner	14		